

# **MFC-8860DN**

Laser Multi-Function Centre®



# **MFC-8860DN**

Full Duplex Network Ready Mono Laser Flatbed 5-in-1 Multi-Function Centre® Business Laser Document Centre with comprehensive features for high volume usage

- Duplex Network Laser Printer
- Standalone Laser Super G3 Fax
- Duplex Flatbed Laser Digital Copier
- Colour Flatbed Scanner
- PC Fax







Up to 550 pages (with optional tray LT-5300)













# Five quality features in one compact unit.

# A network-ready mono laser printer, laser fax, laser copier and colour scanner with automatic duplex - a capable and dependable business partner.



Stylish, user-friendly Control panel designed to maximise usability



**Automatic Document Feeder** For easy faxing of multi-page documents



LCD & Backlit Function Keys

An LCD and backlit function key makes it easy to see the status of the MFC-8860DN and identify which function is selected

Convenient copier features include;

- Up to 50 sheet auto document feeder
- Up to 1,200 x 600dpi print resolution
- Enlarge/Reduce 25% 400% in 1% increments
- Up to 99 Multiple-Copies
- Stack and Sort Functions
- 2-in-1 and 4-in-1 Copying
- Poster Printing
- Memory Security

# 4/ Duplex Network Flatbed Colour

Scanning with the MFC-8860DN is both simple and quick, even if you are scanning both sides of a document. Anyone on your network can scan individual or multiple A4 pages from the flatbed or automatic document feeder. With the easy-to-use 'Scan to' function, you can quickly select whether you want your scanned item to be automatically attached to an e-mail, saved in a designated folder or opened in a particular

High quality results are guaranteed thanks to a scan resolution of 600 x 2,400 dpi. The MFC-8860DN comes complete with the very latest scanning software, giving you a range of options to Scan-to-email, OCR, image, file or FTP.

Another benefit is that you can utilise the scanner function whilst operating in another mode, for example whilst receiving a fax or printing another document.

Up to 10 custom scan profiles can be created to personalise the type of file and also the resolution of a document.

Superior scanning features include;

- Automatic duplex scan
- Up to 19,200 dpi Interpolated Scanning Resolution
- 48 bit Colour Depth
- TWAIN / WIA Compliant.
- Includes ScanSoft® PaperPort® for Windows® (5 user license) and NewSoft® Presto!® PageManager® for Macintosh® software
- 'Scan to' E-mail, Image, OCR, File and FTP.
- Brother Control Centre.

MFC-8860DN

- Laser Printer
- Laser Super G3 Fax
- Flatbed Digital Copier
- Colour Flatbed Scanner



A network-ready mono laser printer with automatic duplex. Print on both sides to make documents easy to store and save you money.

# **Main Features**

# 1/ Duplex Network Laser Printer

With impressive print speeds and duplex printing, you can rest assured that all of your documents will be printed quickly and to the highest professional standards. Coping with your network's printing demands won't be a problem thanks to the machine's generous memory. Should these demands increase as your network grows, memory upgrades are easy and affordable. The MFC-8860DN is compatible with both Windows® and Macintosh®, and has USB and parallel ports, ensuring that it will fit right in with your existing office equipment. As it's network-ready straight from the box, your workgroup can be up and running in minutes. With the Secure Print feature, all your confidential documents can be protected by a password ensuring sensitive information can not be seen by others.

Your workgroup will benefit from the 250 sheet\*† paper tray. Should demand increase, you can expand paper capacity to up to 500 sheets\* with an optional 250 sheet\* paper tray. Other printer features include;

- Up to 28ppm\*\*\*
- Up to 1,200 x 1,200dpi Print Resolution
- 10/100 Base-TX Ethernet
- Parallel and Hi-Speed USB2.0 interface

- PCL® 6 & BR-Script 3 (PostScript® 3 Language Emulation)

- Up to 50 Sheet\* multi purpose tray

- 32MB standard memory (Expandable up to 544MBt) - Up to 250 Sheet\* Paper Capacity (Standard)

- Secure Function Lock
- Secure Print

# 2/ Standalone Super G3 Laser Fax

The MFC-8860DN with its 33.6K bps Super G3 fax modem, ensures fast and efficient communication with the added benefit of two sided faxing. Anyone on your network can send and receive faxes directly to and from their PC, the combination of one-touch, speed and group dials makes communicating with your list of contacts even simpler. The ability to print incoming faxes on both sides of the paper is sure to keep costs down.

High quality fax features include;

- Automatic duplex fax send and receive
- 33.6k bps Super G3 Fax/Modem Speed
- 40 One-touch Dials
- 300 Speed Dials, 20 group dials
- Up to 50 sheets\* Automatic Document Feeder
- Flatbed Design
- Up to 500 page\*\* Memory Transmission / Out of Paper Reception
- PC-FAX Send & Receive (Send only MAC)
- Dual access
- Fax receive time stamp

# 3/ Duplex Flatbed Laser Digital Copier

The desktop copier performance of the MFC-8860DN rivals many stand-alone copiers and has the capability to automatically copy both sides of the paper. Its flatbed design accommodates A4 originals and the automatic document feeder makes multi-page copying easy; meaning you won't have to stand over the machine changing page after page. It's quick too, so you won't be left waiting around for your copies. You can produce up to 99 copies of a single document at the touch of a button and the stack and sort function means you won't have to hand-collate your documents ever again. To satisfy your more complex copying requirements, the MFC-8860DN allows you to not only reduce the original document size, but also enlarge it to poster size.

\*At 75gsm \*\* ITU-T Test Chart No 1 \*\*\* At 600 x 600dpi

#### 5/ PC Fax

The PC FAX feature allows the user to send faxes from any desktop application in either Windows® or Mac® network environment, as easily as sending a print job. In addition, the user can broadcast the same document to multiple fax numbers using Brother PC Fax address book. PC Fax Receive via USB or over the network is available only for Windows®.

## **Other Features**

#### **Front Loading Cartridges**

Thanks to the front loading system, these cartridges are simple to install and replace.

## **LDAP** network address books

This truly versatile network machine is designed for small, medium and corporate business and includes a number of impressive features to improve your productivity. By supporting LDAP the machine can integrate with a directory server to look up contacts and e-mail addresses.

## Feature lock by user security

In an increasingly security conscious climate Brother brings you a new feature to ensure complete document security; Secure Function Lock. This feature allows an administrator to decide exactly who can use which feature of the machine: Copy, Scan, Fax, Print or PC-FAX.

## **Fax Receive Stamp**

To enhance the machine's strong fax features there is also a Fax Receive stamp to give document traceability throughout your organisation.

# **Anti-Spam Fax Feature**

Received PC-FAX's are stored in the memory of the MFC until the PC is switched on. Then faxes are uploaded to the PC for viewing, editing, printing or deleting.

## **Internet Fax**

You can save time and money by using the Internet Fax feature. You can send a fax message to anywhere in the world without making an international telephone call. Internet fax feature provides you not only simple sending and receiving fax messages but forwarding or broadcasting fax messages.

# **Secure Printing**

With confidentiality becoming an increasing consideration, the integral 'secure print' feature

will prove invaluable. This standard feature ensures that sensitive documents can only be printed once a user-unique PIN has been entered into the printer via the control panel or web browser – eliminating the worry of your newly printed document being picked up by the unauthorised person.

# **Enhanced Scan-to-FTP-Server**

Scan documents, images, and faxes, and post these to FTP sites directly through your network connected MFC. It's ideal if you often post files to FTP sites for easy retrieval and download by permitted users inside your firm, perhaps in remote locations. Multiple FTP server profiles – specific sites and folder locations, access codes, and scanning preferences, for example – can be saved in presets for custom applications, cutting the time spent, and potential errors.

## Scan to other fax-server applications

If you employ a leading network based faxserver application in your enterprise, your MFC can be set up as a document scanning device to work with it. Transmission of your faxes will then take place through your preferred networkbased fax-server application, rather than through your MFC's built-in fax modem.

## **Compatibility**

In the modern office, an increasing number of users work from different systems software; workgroups require a cross-platform printer. That's why, the MFC- 8860DN has optimised drivers for Windows\* 98(SE) / Me / NT\*4.0WS / 2000 / XP / XP Pro x64 edition, Mac OS\* 9.1 to 9.2, OS\* X 10.2.4 or greater.

#### SAP

The MFC-8860DN also comes with SAP printing as standard. This allows access to more Brother printer features than usual with other manufacturers.

# **Network Connectivity**

Standard Network Connectivity enhances your machine into a workgroup Multi-function Centre. Designed for implementation into the majority of networks and supporting industry standard speed (10/100 Base-TX) and protocols. This fully featured network solution provides Network Printing, Scanning, PC-FAX Send & Receive and Scan to FTP Server.



The MFC-8860DN supports the Simple Network Configuration protocol giving you zero configuration network connectivity in OS/X 10.3 or greater.

# **Network Printing IPV6 (Internet Protocol Version 6)**

The MFC-8860DN supports IPv6, the next generation Internet Protocol. IPv6 replaces the aging IPv4. IPv6 is the solution to provide real Internet and ubiquitous environment. To support current office network environments, the MFC-8860DN will support both IPv4 and IPv6.

IPv6 improvements and benefits – offers easy auto configuration and enhanced security.

# **Network Scanning**

- Scansoft® PaperPort® with 5 user license.
- Brother Control Centre for effortless Network Scanning.
- Scan key functionality for Scan to Email / OCR / File / Image or FTP.
- Optional 5 user license agreements to extend workgroup capability up to a maximum of 25 users.

## For the IT Administrator

## **Network Management**

Brother provides a number of tools to help you proactively manage your network-connected Multi-Function Centre®. An Embedded Web Server provides a platform that can be accessed from any web browser to manage your device.

Brother provides its **BRAdmin Professional**Software for administering LAN connected MultiFunction Centres®. An Enterprise edition of this software **Web BRAdmin** can be downloaded from the Brother Solutions website at; http://solutions.brother.com/webbradmin

The **Driver Deployment Wizard** installs and mass deploys windows printer drivers.

**Email notification** allows the administrator to be alerted via email when the condition of the machine changes. If there is a technical fault, paper jam or low toner, the relevant person can be set up to receive an e-mail so that action can be taken immediately.

# **Environmentally Friendly Features** International Standard: ISO 14001

As one of Australia's leading Multi-Function Centre manufacturers, Brother takes its environmental responsibilities very seriously. Brother Multi-Function Centres® are ISO 14001 compliant meaning that they are manufactured in accordance to international environmental standards.

## **Energy Star**

Additionally, Brother Multi-Function Centres® are Energy Star™ compliant and use less electricity making them extremely efficient to run.

# **Cartridge Recycling**

Brother is a proud partner in the Planet Ark and Close the Loop Initiative to recycle used cartridges for zero waste. Another way Brother is working to preserve the environment for future generations.



Speed

Resolution

# MFC-8860DN









# **Technical Specification**

| General                      |               |  |  |  |  |  |  |  |  |  |
|------------------------------|---------------|--|--|--|--|--|--|--|--|--|
| Engine                       |               | Laser  |  |  |  |  |  |  |  |  |
| CPU                          |               | 266Mhz   |  |  |  |  |  |  |  |  |
| LCD Display                  |               | 5 lines x 22 characters  |  |  |  |  |  |  |  |  |
| Illuminated Function Keys    | 3             | Fax, Copy and Scan function keys are illuminated for ease of use                                   |  |  |  |  |  |  |  |  |
| Back-up for clock            |               | Keeps time and date backed up for 4 days   |  |  |  |  |  |  |  |  |
| Back-up for memory           |               | Keeps information saved in memory backed up for 4 days   |  |  |  |  |  |  |  |  |
| Memory Capacity              |               | 32MB standard / 544MB maximum  |  |  |  |  |  |  |  |  |
| Paper handling size          |               | A4, LTR, EXE, A5, A6, B5, B6   |  |  |  |  |  |  |  |  |
| Media Type                   |               | Plain, Recycled, Envelopes, Transparency, Bond, Labels   |  |  |  |  |  |  |  |  |
| Paper Capacity               | Input         | Up to 250 sheets <sup>^</sup> , Up to 550 sheets <sup>^</sup> maximum with optional tray (LT-5300) |  |  |  |  |  |  |  |  |
|                              |               | Up to 50 sheets' Multipurpose tray   |  |  |  |  |  |  |  |  |
| Output                       |               | Up to 150 sheets*  |  |  |  |  |  |  |  |  |
| Automatic Document Fee       |               | Up to 50 sheets^   |  |  |  |  |  |  |  |  |
| Simultaneous Operation       | do: (1.5.)    | (Print/Fax) (Print/Scan) (Print/Copy) (Fax/Copy)   |  |  |  |  |  |  |  |  |
| <b>Duplex Printer</b>        |               | ( Time any ( Time occur) ( Time occpy) ( and occpy)  |  |  |  |  |  |  |  |  |
| Speed                        |               | Up to 28ppm^^/ Up to 13ppm Duplex^^  |  |  |  |  |  |  |  |  |
| Resolution                   |               | Up to 1200 x 1200dpi (True)  |  |  |  |  |  |  |  |  |
| First Time Print Out         |               | Less than 8.5 seconds  |  |  |  |  |  |  |  |  |
| Emulation                    |               | PCL®6, BR-Script 3, IBM® Pro-Printer, Epson® FX-850  |  |  |  |  |  |  |  |  |
| Printer Driver               |               | Windows® 98SE/Me/2000/WinNT®4.0WS/XP/XP Pro x64bit   |  |  |  |  |  |  |  |  |
| Tillitoi Diivoi              |               | Mac®OS 9.1-9.2/ Mac® OS X 10.2.4 or greater  |  |  |  |  |  |  |  |  |
| Secure Print                 |               | Yes  |  |  |  |  |  |  |  |  |
| Duplex Fax                   |               | 165  |  |  |  |  |  |  |  |  |
| Duplex Fax Send & Recei      | vo.           | Yes  |  |  |  |  |  |  |  |  |
| Modem                        | Super G3      | 33,600bps - Approx 2 seconds transmission  |  |  |  |  |  |  |  |  |
| Data Compression             | Super us      | Mono: MH / MR / MMR / JBIG   |  |  |  |  |  |  |  |  |
| Automatic redial             |               | Automatic redial if the recipient fax is busy  |  |  |  |  |  |  |  |  |
| One Touch                    |               | 40 (20 x 2) locations for pre-stored numbers   |  |  |  |  |  |  |  |  |
| Speed dials                  |               | 300 locations for pre-stored numbers   |  |  |  |  |  |  |  |  |
|                              |               |  |  |  |  |  |  |  |  |  |
| Group dials Fax / Tel switch |               | Up to 20 groups  |  |  |  |  |  |  |  |  |
|                              |               | Automatic recognition of fax and telephone reception   |  |  |  |  |  |  |  |  |
| Distinctive ring detection   |               | Yes (Telstra Faxstream Duet® compatible)   |  |  |  |  |  |  |  |  |
| Super fine                   |               | High quality transmission and reception  |  |  |  |  |  |  |  |  |
| Grey scale                   |               | 256 levels for Mono  |  |  |  |  |  |  |  |  |
| Memory Transmission          |               | Up to 500 pages (ITU-T Test Chart No 1)  |  |  |  |  |  |  |  |  |
| Out of paper reception       |               | Up to 500 pages (ITU-T Test Chart No 1)  |  |  |  |  |  |  |  |  |
| Broadcasting locations       |               | Send the same fax message to up to 390 locations   |  |  |  |  |  |  |  |  |
| Batch transmission           |               | Stores documents for the same location in the machines   |  |  |  |  |  |  |  |  |
|                              |               | memory for transmission in a single call   |  |  |  |  |  |  |  |  |
| Auto reduction               |               | Automatically reduces a received fax to fit on to a single sheet of A4                             |  |  |  |  |  |  |  |  |
| Error correction mode        |               | Where machines share the ECM feature, errors during transmission are                               |  |  |  |  |  |  |  |  |
| F ( "                        |               | corrected automatically ensuring received documents are error free                                 |  |  |  |  |  |  |  |  |
| Fax forwarding               |               | Sends a fax received in memory to another fax number or Email address                              |  |  |  |  |  |  |  |  |
| Remote access                |               | Remotely access the machine by using another touch tone phone                                      |  |  |  |  |  |  |  |  |
| Fax retrieval                |               | Retrieve fax messages using another touch tone machine   |  |  |  |  |  |  |  |  |
| Dual Access                  |               | Scan a fax for transmission whilst receiving a fax   |  |  |  |  |  |  |  |  |
| Fax Receive Stamp            |               | Places a stamp on the page when a fax is received  |  |  |  |  |  |  |  |  |
| Spam Fax Blocking            |               | Faxes are uploaded to a PC for viewing, editing, printing or deleting                              |  |  |  |  |  |  |  |  |
| <b>Duplex Flatbed D</b>      | igital Copier |  |  |  |  |  |  |  |  |  |

| Auto Duplex Copy                 |                 | Yes   |  |  |  |  |  |  |  |
|----------------------------------|-----------------|---|--|--|--|--|--|--|--|
| Multi copy                       |                 | Produces up to 99 copies of each original                               |  |  |  |  |  |  |  |
| Enlargement / reduction ratio    |                 | 25% - 400% in 1% increments   |  |  |  |  |  |  |  |
| N in 1                           |                 | Compress 2 or 4 pages on to a single sheet                              |  |  |  |  |  |  |  |
| Poster Printing                  |                 | Enlarge an image to print onto 3 x 3 pages for A4 size                  |  |  |  |  |  |  |  |
| <b>Duplex Colour F</b>           | latbed Digital  | Scanner   |  |  |  |  |  |  |  |
| Resolution                       | Optical         | Up to 600 x 2,400 dpi (colour & mono)                                   |  |  |  |  |  |  |  |
|                                  | Interpolated    | Max 19,200 x 19,200dpi**  |  |  |  |  |  |  |  |
| Duplex Scan                      |                 | Yes   |  |  |  |  |  |  |  |
| Grey Scale                       |                 | 256 shades of grey  |  |  |  |  |  |  |  |
| Colour Depth                     | Input/Output    | 48bit internal / 24bit external processing colour scanner               |  |  |  |  |  |  |  |
| 'Scan' key                       |                 | Allows the user to scan to E-mail, E-mail Server, OCR, Image, File, FTP |  |  |  |  |  |  |  |
| Scan to FTP                      |                 | Scan to a FTP server, using up to 10 different profiles                 |  |  |  |  |  |  |  |
| PC FAX                           |                 |   |  |  |  |  |  |  |  |
| PC Fax Send / Receive            | Send Only (MAC) | Send and Receive Faxes from your PC, broadcast to up to 50 locations    |  |  |  |  |  |  |  |
| Network PC Fax Receiv            | е               | Receive Faxes via the network to one designated PC (Windows Only)       |  |  |  |  |  |  |  |
| Interfaces                       |                 |   |  |  |  |  |  |  |  |
| USB                              |                 | USB 2.0 High Speed connectivity as standard                             |  |  |  |  |  |  |  |
| Parallel                         |                 | IEEE1284 Parallel port  |  |  |  |  |  |  |  |
| Ethernet Network                 |                 | 10/100BaseTX Ethernet Print/Fax/Scan Server (IPv4▼ and IPv6▲)           |  |  |  |  |  |  |  |
| External TAD Interface           |                 | Interface for connecting external telephone answering devices           |  |  |  |  |  |  |  |
| <b>Network Feature</b>           |                 |   |  |  |  |  |  |  |  |
| Printing, Scanning, PC-Fax       |                 | Supplied with 5 user license, further optional 5 user license (NL-5)    |  |  |  |  |  |  |  |
|                                  |                 | agreements extend workgroup capability to 25 users                      |  |  |  |  |  |  |  |
| Internet Fax                     |                 | Send/Receive fax's via Email without the need of a PC                   |  |  |  |  |  |  |  |
| IP filtering                     |                 | Allow only selected machines to access the MFC via the network          |  |  |  |  |  |  |  |
| Dimensions / W                   | eight / Power   |   |  |  |  |  |  |  |  |
| Dimensions                       |                 | 531(w) x 450(d) x 475(h) mm   |  |  |  |  |  |  |  |
| Weight                           |                 | 16.7kg  |  |  |  |  |  |  |  |
| Power (Minimum / Standby / Peak) |                 | 17W / 85W / 1104W   |  |  |  |  |  |  |  |
| Noise Level                      | Sound Power     | Operating (Copying) 7.0 Bell, LpAm = 55dBA, Standby = 4.6 Bell          |  |  |  |  |  |  |  |
|                                  | Sound Pressure  | Standby - LpAm = 30dBA  |  |  |  |  |  |  |  |
| Ecology                          |                 | Power Saving - Yes  |  |  |  |  |  |  |  |
|                                  |                 | Toner Saving - Yes  |  |  |  |  |  |  |  |
| Consumables***                   | *               |   |  |  |  |  |  |  |  |
| Toner                            |                 | TN-3145 Standard Yield 3,500 page toner @ 5% coverage                   |  |  |  |  |  |  |  |
|                                  |                 | TN-3185 High Yield 7,000 page toner @ 5% coverage                       |  |  |  |  |  |  |  |
| Drum                             |                 | DR-3115 25,000 A4 pages (1 page per job)                                |  |  |  |  |  |  |  |
| <b>Options</b>                   |                 |   |  |  |  |  |  |  |  |
| Lower Tray                       |                 | LT-5300 (up to 250 sheets")   |  |  |  |  |  |  |  |
| Memory                           |                 | Expandable to 544Mb, 1 DIMM Slot (144pin), 64Mb,128Mb, 256Mb, 512Mb     |  |  |  |  |  |  |  |



We recommend using genuine Brother consumables for quality professional prints and for peace of mind. As all genuine Brother consumables are designed as part of an entire printing system, and tested to ensure optimum performance and component protection.

The benefits to you are:

- Better quality prints
- Greater yields per consumable
- Protect your machine from damages
- Achieve optimum performance.

Your machine warranty may not cover any damage arising from the use of non gapuing Prother executed by

genuine Brother consumables.

Your machine should be used only in a clean, dust-free environment

|          | MFC-8860DN            | Scanner<br>Resolution<br>Upto DPI | TWAIN/<br>WIA<br>DRIVER | Scan to<br>Image |            | Scan to<br>E-mail<br>Server | Scan to OCR | Scan to<br>File | Scan to FTP | Brother<br>PC-FAX<br>Send | Brother<br>PC-FAX<br>Receive | LDAP | Printer<br>Driver | Remote<br>Setup | Brother<br>Control<br>Centre | NewSoft®<br>Presto!®<br>PageManager® | ScanSoft®<br>PaperPort®<br>9.0SE |
|----------|-----------------------|-----------------------------------|-------------------------|------------------|------------|-----------------------------|-------------|-----------------|-------------|---------------------------|------------------------------|------|-------------------|-----------------|------------------------------|--------------------------------------|----------------------------------|
| Windows® | 98(SE)/Me             | 19200x19200                       | TWAIN                   | ✓                | 1          | 1                           | 1           | ✓               | 1           | 1                         | ✓                            | 1    | 1                 | 1               | ✓                            |                                      | 1                                |
|          | 2000 Professional     | 19200x19200                       | TWAIN                   | 1                | 1          | 1                           | 1           | ✓               | 1           | 1                         | ✓                            | 1    | 1                 | 1               | ✓                            |                                      | ✓                                |
|          | XP / XP x64 Edition   | 19200x19200**                     | TWAIN/WIA**             | 1                | 1          | 1                           | 1           | ✓               | 1           | 1                         | 1                            | 1    | 1                 | 1               | 1                            |                                      | ✓                                |
|          | NT 4.0 WS             | 19200x19200                       | TWAIN                   | <b>√</b> *       | <b>√</b> * | 1                           | <b>√</b> *  | <b>√</b> *      | 1           | 1                         | √*                           | 1    | 1                 | <b>√</b> *      | <b>√</b> *                   |                                      | 1                                |
| ntosh®   | 0S 9.x                | 19200x19200                       | TWAIN                   |                  |            | 1                           |             |                 | 1           | 1                         |                              | 1    | 1                 |                 |                              | <b>√</b> *                           |                                  |
| Macin    | OSX 10.2.4 or greater | 19200x19200                       | TWAIN                   | 1                | 1          | 1                           | 1           | 1               | 1           | 1                         |                              | 1    | 1                 | 1               | 1                            | 1                                    |                                  |

^at 75gsm A4 paper, ^^at 600x600dpl, 'This feature not available via the network, "Brother Scanner Utility enables enhancement up to 19,200 x 19,200dpl,, ""Shipped with TN-3145 Standard Yield 3,500 page toner @ 5% coverage
▼TCPIP - ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), ICMP, WINSANGEIDOS, DNS, mDNS, LPRL/PD, Port9100, IPP, FTP, SNMP, HTTP, TELNET, POP3/SMTP, TFTP, LDAP
ATCPIP - ICMPNé, NDP, DNS, mDNS, LPRL/PD, Port9100, IPP, ETP, SNMP, HTTP, ETP, LDAP



Up to 28cpm

Up to 1,200 x 600dpi



# **Brother International (Aust) Pty Ltd**

Web-site: www.brother.com.au Technical Help Web-site: http://solutions.brother.com NSW/ACT 7 Khartoum Rd, North Ryde NSW 2113 Phone: (02) 9887 4344 Fax: (02) 9870 7234 VIC 1/733 Whitehorse Rd, Mont Albert VIC 3127 Phone: (03) 9899 4844 Fax: (03) 9899 4834 UD 1/733 Whitehorse Rd, Wost End QLD 4101 Phone: (07) 3255 1211 Fax: (07) 3255 1911 SA/TAS Unit 4, 13 King William Rd, Unley SA 5061 Phone: (08) 8272 1300 Fax: (08) 8272 1199 WA 117 Great Eastern Highway, Belmont WA 6104 Phone: (08) 9478 1955 Fax: (08) 9277 2177

All specifications subject to change without notice